

# AQA Style

---

GCSE

COMBINED SCIENCE: TRILOGY

Higher Tier

Chemistry Paper 2

---

H

**Mark Scheme**

## Question 1

Question	Answers	Extra information	Mark
01.1	a mixture designed as a useful product	Accept a description of a mixture.	1
01.2	X	If more than one box is ticked, award no marks.	1
01.3	sample/batch C is correct/ contains the right ingredients	Sample/batch C is the <u>only</u> one that is correct/contains the correct ingredients receives marking points 1 and 3.	1
	(because) it matches the correct medicine/ has the same dots/pattern/ the substances travelled the same distances	Sample/batch C is the <u>only</u> one that matches the correct medicine, has the same dots/ pattern, they travelled the same distances receives marking points 2 and 4.	1
	samples/batches A, B and D are not correct/do not contain the right ingredients		1
	(because) they do not match the correct medicine/they have different dots/patterns/ the substances travelled different distances		1
01.4	it stayed on the start line/ didn't move		1
	(because) it was not soluble (in the solvent used)		1
01.5	$\frac{8}{40}$	Accept $R_f = \frac{\text{distance moved by substance}}{\text{distance moved by solvent}}$	1
	0.2		1
<b>Total</b>			<b>10</b>

## Question 2

Question	Answers	Extra information	Mark
02.1	<p>Any <b>two</b> from:</p> <ul style="list-style-type: none"> <li>• extracting and/or processing of raw materials</li> <li>• manufacturing/making the product and/or packaging</li> <li>• using the product during its lifetime</li> <li>• disposal (at the end of its useful life)</li> <li>• transport/distribution at each stage</li> </ul>	For each step, allow a clear description of the process or a specific example related to a named product.	<b>2</b>
02.2	<b>Level 2:</b> The ways in which relevant features are similar/ different is made clear. The magnitude of the difference is described.		<b>3-4</b>
	<b>Level 1:</b> There is a simple comparison of the indicators for each type of bag.		<b>1-2</b>
	<b>No relevant content.</b>		<b>0</b>
	<p><b>Indicative content:</b></p> <ul style="list-style-type: none"> <li>• Comparison: Producing paper bags uses more water than producing plastic bags.</li> <li>• Magnitude: Producing paper bags uses 700/3.5× more litres of water than producing plastic bags.</li> <li>• Comparison: Producing paper bags releases more CO<sub>2</sub> than producing plastic bags.</li> <li>• Magnitude: Producing paper bags releases 3kg/3× more CO<sub>2</sub> than producing plastic bags.</li> <li>• Comparison: Plastic bags are more likely to end up as litter than paper bags.</li> <li>• Magnitude: There is a 5× higher risk of plastic bags becoming litter compared to paper bags/the risk of a plastic bag becoming litter is 1 but the risk of a paper bag becoming litter is only 0.2.</li> </ul>		

<b>02.3</b>	<p>Any <b>one</b> from:</p> <ul style="list-style-type: none"> <li>• not all impacts are easy to calculate/ some impacts require human judgements/ it is not a purely objective process</li> <li>• different people may come up with different judgements</li> <li>• judgements may be biased/ misused</li> </ul>	<p>Accept a specific example, e.g. to support advertising claims.</p>	<b>1</b>
<b>Total</b>			<b>7</b>

### Question 3

Question	Answers	Extra information	Mark
03.1	methane	Accept CH <sub>4</sub> . Accept water vapour. Accept nitrous oxide. Accept ozone.	1
03.2	Any <b>two</b> from: <ul style="list-style-type: none"> <li>• burning fossil fuels/ combustion (to generate electricity, heat homes or run vehicles)</li> <li>• deforestation</li> <li>• grazing cattle</li> <li>• rice fields</li> <li>• disposing of waste in landfill sites</li> </ul>	If no mark has been awarded for grazing cattle or rice fields allow <b>1</b> mark for farming/ agriculture.	2
03.3	the results are peer-reviewed  to prevent false claims	Accept checked by other scientists.  Accept to check that the data/ results are reproducible.  Accept to check the results are valid.	1  1

<b>03.4</b>	<b>Level 3:</b> A judgement is supported by a range of logically linked reasons. There is at least one statement from each section of the indicative content.	<b>5-6</b>
	<b>Level 2:</b> Some logically linked reasons are given. There may also be a simple judgement. There is at least one statement from each section of the indicative content.	<b>3-4</b>
	<b>Level 1:</b> Relevant points are made that do not need to be linked. Two marks can be awarded for two valid statements.	<b>1-2</b>
	<b>No relevant content.</b>	<b>0</b>
	<p><b>Indicative content:</b></p> <p><b>Points in support of the statement:</b></p> <ul style="list-style-type: none"> <li>• The trend in Figure 3 shows a decrease in temperature.</li> <li>• Figure 2 shows that the global temperature regularly decreases for a few years.</li> <li>• The trend in Figure 3 fits the pattern of fluctuations/increases and decreases shown in Figure 2.</li> </ul> <p><b>Points against the statement:</b></p> <ul style="list-style-type: none"> <li>• Figure 2 shows an upward trend in temperature since 1964.</li> <li>• Figure 3 shows an increase in temperature between 2018 and 2019.</li> <li>• The decrease in 2018 in Figure 3 is unlikely to be anomalous as it fits the pattern of results in Figure 2.</li> <li>• Figure 3 only includes four years of data (while Figure 2 includes 140).</li> <li>• Figure 3 includes data only from March each year.</li> <li>• Figure 3 includes data from one location while Figure 2 includes data from across the world.</li> <li>• So the calculation of the mean temperature in Figure 2 is more accurate.</li> <li>• The data and methods in Figure 2 have been peer reviewed/verified but the data in Figure 3 has not.</li> <li>• Therefore, the data in Figure 2 is more likely to be valid.</li> </ul>	
<b>Total</b>		<b>11</b>

## Question 4

Question	Answers	Extra information	Mark
<b>04.1</b>	a glowing splint		<b>1</b>
	relights	Accepts bursts into flame.  Do not accept a lit splint burns brighter or faster.	<b>1</b>
<b>04.2</b>	$C_3H_8 + 5O_2 \longrightarrow 3CO_2 + 4H_2O$	Allow multiples.	<b>1</b>
<b>04.3</b>	$\frac{(12 \times 3)}{44} \times 100$	Accept $\frac{36}{44} \times 100$	<b>1</b>
	81.8181....		<b>1</b>
	81.8	An answer of 81.8 with no working shown scores <b>3</b> marks.  $\frac{12}{44} \times 100 = 27.2727...$ scores <b>1</b> mark.  An answer of 27.3 scores <b>2</b> marks.	<b>1</b>
<b>04.4</b>	incomplete combustion will occur  Any <b>three</b> from: <ul style="list-style-type: none"> <li>• (therefore) carbon monoxide will be produced</li> <li>• which is a toxic gas</li> <li>• that is colourless/odourless/ not easily detected</li> <li>• (therefore) particulate carbon/particulates/soot will be produced</li> <li>• which can irritate the lung linings/make asthma worse/ cause cancer</li> </ul>	Allow reference to less oxygen available for combustion.  Effects of the pollutants must be linked to the correct pollutant.  Allow description of effects of inhaling carbon monoxide.	<b>1</b>  <b>3</b>
<b>Total</b>			<b>10</b>

## Question 5

Question	Answers	Extra information	Mark
05.1	<p>Any <b>two</b> from:</p> <ul style="list-style-type: none"> <li>• size/surface area of marble chips</li> <li>• volume of acid</li> <li>• temperature of the acid</li> <li>• atmospheric pressure</li> <li>• whether or not the reaction is stirred</li> <li>• mass of marble chips</li> <li>• type of acid</li> <li>• angle of the gas syringe</li> </ul>		<b>2</b>
05.2	<p>Any <b>one</b> from:</p> <ul style="list-style-type: none"> <li>• some gas may be lost before the bung is inserted</li> <li>• timer not started at the start of the reaction</li> <li>• gas cylinder does not allow precise measurements/error reading volume of gas</li> </ul>	<p>Allow a description of adding the marble chips, the bung and starting the timer at the same time.</p>	<b>1</b>
05.3	<p>all points correctly plotted</p> <p>curve of best fit ignoring the anomalous point at (60, 35)</p>	<p>Allow a tolerance of <math>\pm \frac{1}{2}</math> a small square.</p> <p>Allow <b>1</b> mark for 5 or 6 points plotted correctly.</p> <p>Allow correct line of best fit for incorrectly plotted points.</p>	<p><b>2</b></p> <p><b>1</b></p>

<b>05.4</b>	(rate of reaction) decreases	Allow the rate is fastest at the beginning.	<b>1</b>
	(rate decreases) more slowly as time increases	Accept a reference to a time period where the rate is slower than at the start.	<b>1</b>
	(rate) becomes zero at 68 seconds	Allow reaction stops at 68 seconds.  Accept time in the range 64 to 76 seconds.	<b>1</b>
<b>05.5</b>	tangent drawn at 40s	At least one of $\Delta x$ or $\Delta y$ must be correct for their tangent.	<b>1</b>
	attempt at $\frac{\text{change in } y}{\text{change in } x}$ for their tangent		<b>1</b>
	an answer in the range of 0.62 to 0.68  $\text{cm}^3/\text{s}$		<b>1</b>
<b>Total</b>			<b>13</b>

## Question 6

Question	Answers	Extra information	Mark
06.1	<p>Any <b>two</b> from:</p> <ul style="list-style-type: none"> <li>• copper can be extracted from low grade ores</li> <li>• mining is not required</li> <li>• no need to move/transport/dispose of large amounts of rock</li> </ul>	<p>Allow copper can be extracted from contaminated land.</p> <p>Allow consequences of less mining.</p> <p>Allow less energy required.</p> <p>Allow fewer emissions of greenhouse gases/carbon dioxide.</p>	<p><b>2</b></p>
06.2	<p>iron is more reactive than copper</p> <p>(so) iron displaces copper (from copper sulfate)</p>	<p>Allow iron reduces copper ions.</p>	<p><b>1</b></p> <p><b>1</b></p>
06.3	<p><math>M_r \text{ CuSO}_4 = 159.5</math></p> $\frac{0.957}{159.5}$ <p>= 0.006 (mol)</p>	<p>Allow correct use of incorrectly calculated value for <math>M_r</math>.</p> <p>Allow <math>6 \times 10^{-3}</math> (mol).</p> <p>An answer of 0.006 or <math>6 \times 10^{-3}</math> (mol) with no working shown scores <b>3</b> marks.</p>	<p><b>1</b></p> <p><b>1</b></p> <p><b>1</b></p>
06.4	<p>(amount of hydrated copper sulfate) decreases</p> <p>(because) the equilibrium/system shifts to the left/in the endothermic direction</p>	<p>Allow the equilibrium/system shifts to reduce the temperature/to counteract the change.</p> <p>Allow favours the reverse/endothermic reaction.</p>	<p><b>1</b></p> <p><b>1</b></p>
<b>Total</b>			<b>9</b>

## Question 7

Question	Answers	Extra information	Mark
<b>07.1</b>	(banded iron formations) require oxygen	Allow there was no oxygen produced before 2.7 billion years ago for <b>2</b> marks.	<b>1</b>
	which was first produced 2.7 billion years ago (by algae)		<b>1</b>
<b>07.2</b>	(limestone is) formed from the carbonate compounds/ calcium carbonate (shells/ skeletons) of sea organisms/ animals/plankton		<b>1</b>
<b>07.3</b>	$C_nH_{2n+2}$		<b>1</b>
<b>07.4</b>	petrol has shorter/smaller molecules/chains	Allow because there is a temperature gradient.	<b>1</b>
	(so) it has a lower boiling point		<b>1</b>
	(therefore) it condenses higher up the (fractional distillation) column		<b>1</b>
	because the column is cooler at the top		<b>1</b>
<b>07.5</b>	cracking		<b>1</b>
	breaks larger molecules/ kerosene into smaller molecules		<b>1</b>
<b>Total</b>			<b>10</b>